



DISOMAQ[®]
INTEGRAL MACHINERY INSTALLATIONS

VENTA, INSTALACION Y REPARACION DE MAQUINARIA INDUSTRIAL



KM 212 Retestadora portatil YILMAZ



VENTA, INSTALACION Y REPARACION DE MAQUINARIA INDUSTRIAL

Información técnica:

Maquina manual utilizada en los procesos de retestado (muesca) preciso de los perfiles de aluminio y PVC.

- Operaciones de retestado eficaces gracias al movimiento de fresado manual
- Seguridad en el trabajo con la cubierta de seguridad
- Profundidad de corte regulable con las piezas de brecha
- Fijación de la pieza de trabajo con las abrazaderas manuales
- Soporte de máquina portátil
- Dimensiones del perfil de retestado (HxW): 65 x 160 mm
- Diámetro máximo de la sierra: Ø120 mm

ACCESORIOS ESTÁNDAR

- 1 x abrazaderas verticales manuales
- 1 x abrazaderas horizontales manuales

ACCESORIOS OPCIONALES

- Soporte de máquina
- Juego de cuchillas

Tecnical specifications:

Portable machine which works manually, ideal for end milling operations on PVC and aluminum profiles precisely

- High quality end milling operations by means of the manual operation
- Safety operations with safety guard
- Practical cutter adjustment by means of the gap parts
- Fixing the workpiece by means of the manual vertical and horizontal clamps
- Robust machine table
- End milling profile dim.(HxW): 65 x 160 mm (80 x 160 mm is possible on demand)
- Max. saw blade diameter: Ø120 mm








STANDARD ACCESSORIES

- 1 x manual vertical clamp
- 1 x manual horizontal clamp

OPTIONAL ACCESSORIES

- Machine stand
- Milling cutter set

Características:

						
800 W~1 50~60 Hz		3000 D/dak RPM	D:max. 120 mm d:30 mm	43x 53x 53 cm	28 kg.	25 kg.

Product Gallery:



DISOMAQ[®]
INTEGRAL MACHINERY INSTALLATIONS

VENTA, INSTALACION Y REPARACION DE MAQUINARIA INDUSTRIAL



Disomaq maquinaria



DISOMAQ[®]
INTEGRAL MACHINERY INSTALLATIONS

VENTA, INSTALACION Y REPARACION DE MAQUINARIA INDUSTRIAL



Disomaq maquinaria