YMZ Copiadora neumática FR 221 S



750W 400V 50~60 Hz / 550W 230V 50 Hz		5 Lt/da	6~8 Bar	x:270 y:110 z:130 mm	14000 D/dak. RPM	W:64 L:80 H:149 cm.	110 kg.	72 kg.

Copiadora neumática diseñada por Yilmaz para el fresado y perforado de ranuras de cilindro, canales de evacuación de agua, bisagras, puertas, cerradura de ventanas para aluminio y PVC.

- Produce recortes con bloqueo rápido y fácil
- Plantilla de metal
- 2 abrazaderas horizontales neumáticas
- Armario cerrado
- Pistola de aire
- Ruteadora incluida
- Excelente calidad de construcción
- Soporte de perfil

OPCIONALES

- Sistema de refrigeración en Spray de la herramienta (FR221)
- Extremo de fresado adicional
- Plantilla de copiado especial
- Aparato de centrado modelo ma 240
- Transportador modelo mkn 150

- Opening locks, drilling handles, hinges, espagnolette holes etc. on PVC and alumi num profiles
- Cast aluminum structure
- Corrosion proof bearing shaft
- Robust machine stand constructed from steel sheet
- Electroplated copy template
- Two pcs of tracer pins
- Ø8 router bit included

STANDARD ACCESSORIES

- Ø8 mm of router bit
- Air gun (FR 221)
- 2x left and right profile stops
- 2x manual horizontal clamps (FR 220)
- 2x pneumatic horizontal clamps (FR 221)

OPTIONAL ACCESSORIES

- Spray tool lubrication system (FR 221)
- Additional router bits
- Special copy templates
- MA 240 centering apparatus
- MKN 150 roller conveyor

SKU: 2e391d73aa56

Galería de productos:






YILMAZ