

KM 211S Retestadora manual YILMAZ



| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| 800W/1200W 50/60Hz | 230V AC P N PE 400VAC 3P PE | 3000 D/dak RPM | D:161 d:30 mm | 6/8 Bar | 5 Lt/dak | W: 58 L: 46 H:110 cm | 64 kg. | 62 kg. |

- Tronzadora manual, de retestado preciso para perfiles de aluminio y PVC.
- Retestado de máxima fiabilidad de fresado manual
- cubierta de seguridad
- Profundidad de corte regulable
- Fijación del perfil con mordazas neumáticas
- Chasis de alta resistencia
- Dimensiones del perfil de retestado (HxW): 90 x260 mm

- Diámetro máximo de la sierra: Ø170 mm

ACCESORIOS ESTÁNDAR

- 1 x Mordaza vertical neumática
- 1 x Mordaza horizontal neumática
- Pistola de aire

ACCESORIOS OPCIONALES

- Juego de cuchillas
- Sistema de refrigeración por pulverización
- Transportador modelo MKN 100

- High quality end milling operations by means of the manual operation
- Safety operations with safety guard
- Practical cutter adjustment by means of the gap parts
- Fixing the workpiece by means of the pneumatic vertical and horizontal clamps
- Robust machine stand
- End milling profile dim. (HxW): 90 x 260 mm
- Max. saw blade diameter: Ø170 mm

STANDARD ACCESSORIES

- 1 x pneumatic vertical clamp
- 1 x pneumatic horizontal clamp
- Air gun

OPTIONAL ACCESSORIES

- Milling cutter set
- Spray tool lubrication system
- MKN 100 roller conveyor

Product Gallery:

